

When recorded return to:
Clerk of the Board
P.O. Box 827
Florence AZ 85132

RESOLUTION NO. _____

**A RESOLUTION OF THE PINAL COUNTY, ARIZONA, BOARD OF
SUPERVISORS ACCEPTING WARRANTY DEED FOR RIGHT OF WAY
ASSOCIATED WITH PLAT OF SILVER CROSS - PARCEL D.**

WHEREAS, on January 22, 2025, a Warranty Deed (“Deed”) was executed by El Dorado Arizona Farms, LLC, an Arizona limited liability company, as (“Grantor”) conveying all right, title and interest Grantor held in certain real property to Pinal County, a political subdivision of the State of Arizona, as (“Grantee”), a copy of which is attached hereto as Exhibit A; and

WHEREAS, it is in the best interest of Pinal County to accept the Warranty Deed for right of way from El Dorado Arizona Farms, LLC, an Arizona limited liability company.

THEREFORE, BE IT RESOLVED by the Pinal County Board of Supervisors that the Warranty Deed is hereby accepted and title to the subject real property shall vest in Pinal County, a political subdivision of the State of Arizona, for the benefit of the public.

BE IT FURTHER RESOLVED, that this Resolution shall become effective upon recording of said Resolution with the Office of the County Recorder, Pinal County, Arizona.

PASSED AND ADOPTED this _____ day of _____, 2025, by the PINAL COUNTY BOARD OF SUPERVISORS.

Chairman of the Board

ATTEST:

Clerk of the Board

APPROVED AS TO FORM:

Deputy County Attorney

EXHIBIT A

[Warranty Deed – Fee #2025-006483]

See following pages.

11em
When recorded mail to:
Clerk of the Board
P.O. Box 827
Florence, AZ 85132



OFFICIAL RECORDS OF
PINAL COUNTY RECORDER
Dana Lewis

DATE/TIME: 01/29/2025 1045
FEE: \$0.00
PAGES: 16
FEE NUMBER: 2025-006483

Warranty Deed

EXEMPT: A.R.S. § 11-1134(A)(7)

That, **El Dorado Arizona Farms, LLC, an Arizona limited liability company**, (Grantor), does hereby grant and convey to **Pinal County, a political subdivision of the State of Arizona**, (Grantee), for the benefit of the public for roadway and utility purposes and all incidentals thereto, the following real property situated in Pinal County, Arizona, together with all rights and privileges appurtenant thereto, as legally described in Exhibit "A" attached hereto and made a part thereof.

SUBJECT TO all matters of record.

Grantor(s) warrants the title against all persons whomsoever, subject only to matters set forth above.

Dated this 22nd day of January, 2025.

Signature of **GRANTOR**:

El Dorado Arizona Farms, LLC, an Arizona limited liability company

By: El Dorado Holdings, Inc., an Arizona corporation
Its: Administrative Agent

By: Brad Hinton
Its: Vice President

Brad Hinton
Signature

State of ARIZONA)
) ss.
County of Maricopa)

The foregoing Warranty Deed was acknowledged before me this 22nd day of January, 2025, by Brad Hinton, Vice President of El Dorado Holdings, Inc., an Arizona corporation, Administrative Agent of El Dorado Arizona Farms, LLC, an Arizona limited liability company, for and on behalf thereof.



Karen E. Mickalonis
Notary Public
My Commission Expires: 10-22-2025

**EXHIBIT A
TO
WARRANTY DEED**

[Legal Description]

See following pages.



**Legal Description
Silver Cross
Onsite Right-of-Way**

Job No. 18-110

6/17/24

A portion of the North Half of Section 1, Township 4 South, Range 8 East of the Gila and Salt River Meridian, more particularly described as follows:

COMMENCING at the Northwest Corner of said Section 1, being marked by a Brass Cap in Handhole, from which the North Quarter Corner of said Section 1, being marked by a Brass Cap in Handhole, bears North 88 degrees 20 minutes 41 seconds East, 2631.53 feet, and also from which the West Quarter Corner of said Section 1, being marked by a Capped Rebar with LS No. 17548, bears South 0 degrees 51 minutes 12 seconds East, 2581.92 feet;

thence along the North line of the Northwest Quarter of said Section 1, North 88 degrees 20 minutes 41 seconds East, 709.01 feet;

thence departing said North line, South 1 degrees 39 minutes 19 seconds East, 75.00 feet to the POINT OF BEGINNING;

thence North 88 degrees 20 minutes 41 seconds East, 63.00 feet to the beginning of a curve, concave Southeast, having a radius of 33.00 feet;

thence Southwesterly 51.84 feet along the arc of said curve to the left through a central angle of 90 degrees 00 minutes 00 seconds and a chord bearing of South 43 degrees 20 minutes 41 seconds West, 46.67 feet;

thence South 1 degrees 39 minutes 19 seconds East, 113.11 feet to the beginning of a curve, concave Westerly, having a radius of 3530.00 feet;

thence Southerly 101.98 feet along the arc of said curve to the right through a central angle of 1 degrees 39 minutes 19 seconds and a chord bearing of South 00 degrees 49 minutes 40 seconds East, 101.98 feet;

thence South, 171.62 feet to the beginning of a curve, concave Northeast, having a radius of 25.00 feet;

thence Southeasterly 39.27 feet along the arc of said curve to the left through a central angle of 90 degrees 00 minutes 00 seconds and a chord bearing of South 45 degrees 00 minutes 00 seconds East, 35.36 feet;

thence on a non-tangent line South, 25.00 feet;

thence East, 2.91 feet;

S:\Projects\2018\18-110\Legal Survey\Legals\18-110 Onsite ROW\18-110 LD01 v2.docx



thence South, 25.00 feet to the beginning of a non-tangent curve, concave Southeast, from which the radius point bears South a distance of 25.00 feet;

thence Southwesterly 42.95 feet along the arc of said curve to the left through a central angle of 98 degrees 25 minutes 30 seconds to a point of compound curvature of a curve having a radius of 295.00 feet and a chord bearing of South 40 degrees 47 minutes 15 seconds West, 37.86 feet;

thence Southeasterly 184.50 feet along the arc of said curve to the left through a central angle of 35 degrees 50 minutes 02 seconds and a chord bearing of South 26 degrees 20 minutes 31 seconds East, 181.51 feet;

thence South 44 degrees 15 minutes 32 seconds East, 176.97 feet to the beginning of a curve, concave Southwest, having a radius of 530.00 feet;

thence Southeasterly 139.24 feet along the arc of said curve to the right through a central angle of 15 degrees 03 minutes 09 seconds and a chord bearing of South 36 degrees 43 minutes 57 seconds East, 138.84 feet;

thence South 29 degrees 12 minutes 22 seconds East, 137.77 feet to the beginning of a curve, concave Northeast, having a radius of 25.00 feet;

thence Southeasterly 39.27 feet along the arc of said curve to the left through a central angle of 90 degrees 00 minutes 00 seconds and a chord bearing of South 74 degrees 12 minutes 22 seconds East, 35.36 feet;

thence North 60 degrees 47 minutes 38 seconds East, 29.12 feet to the beginning of a curve, concave Southeast, having a radius of 830.00 feet;

thence Northeasterly 304.21 feet along the arc of said curve to the right through a central angle of 20 degrees 59 minutes 59 seconds to a point of reverse curvature of a curve having a radius of 25.00 feet and a chord bearing of North 71 degrees 17 minutes 37 seconds East, 302.51 feet;

thence Northeasterly 37.81 feet along the arc of said curve to the left through a central angle of 86 degrees 38 minutes 51 seconds and a chord bearing of North 38 degrees 28 minutes 11 seconds East, 34.31 feet;

thence on a non-tangent line North 85 degrees 08 minutes 46 seconds East, 50.00 feet to the beginning of a non-tangent curve, concave Northeast, from which the radius point bears North 85 degrees 08 minutes 46 seconds East a distance of 25.00 feet;

thence Southeasterly 37.81 feet along the arc of said curve to the left through a central angle of 86 degrees 38 minutes 51 seconds to a point of reverse curvature of a curve



having a radius of 830.00 feet and a chord bearing of South 48 degrees 10 minutes 40 seconds East, 34.31 feet;

thence Southeasterly 759.26 feet along the arc of said curve to the right through a central angle of 52 degrees 24 minutes 45 seconds and a chord bearing of South 65 degrees 17 minutes 43 seconds East, 733.06 feet;

thence South 39 degrees 05 minutes 20 seconds East, 926.82 feet;

thence South 50 degrees 54 minutes 40 seconds West, 60.00 feet;

thence North 39 degrees 05 minutes 20 seconds West, 685.00 feet to the beginning of a curve, concave Southwest, having a radius of 25.00 feet;

thence Northwesterly 39.27 feet along the arc of said curve to the left through a central angle of 90 degrees 00 minutes 00 seconds and a chord bearing of North 84 degrees 05 minutes 20 seconds West, 35.36 feet;

thence on a non-tangent line North 39 degrees 05 minutes 20 seconds West, 50.00 feet to the beginning of a non-tangent curve, concave Northwest, from which the radius point bears North 39 degrees 05 minutes 20 seconds West a distance of 25.00 feet;

thence Northeasterly 39.27 feet along the arc of said curve to the left through a central angle of 90 degrees 00 minutes 00 seconds and a chord bearing of North 05 degrees 54 minutes 40 seconds East, 35.36 feet;

thence North 39 degrees 05 minutes 20 seconds West, 141.82 feet to the beginning of a curve, concave Southwest, having a radius of 770.00 feet;

thence Northwesterly 697.71 feet along the arc of said curve to the left through a central angle of 51 degrees 55 minutes 00 seconds to a point of compound curvature of a curve, concave Southeast, having a radius of 25.00 feet and a chord bearing of North 65 degrees 02 minutes 50 seconds West, 674.09 feet;

thence Southwesterly 40.95 feet along the arc of said curve to the left through a central angle of 93 degrees 50 minutes 54 seconds and a chord bearing of South 42 degrees 04 minutes 13 seconds West, 36.52 feet;

thence on a non-tangent line South 85 degrees 08 minutes 46 seconds West, 50.00 feet to the beginning of a non-tangent curve, concave Southwest, from which the radius point bears South 85 degrees 08 minutes 46 seconds West a distance of 25.00 feet;

thence Northwesterly 40.95 feet along the arc of said curve to the left through a central angle of 93 degrees 50 minutes 54 seconds to a point of compound curvature of a



curve having a radius of 770.00 feet and a chord bearing of North 51 degrees 46 minutes 41 seconds West, 36.52 feet;

thence Southwesterly 275.55 feet along the arc of said curve to the left through a central angle of 20 degrees 30 minutes 14 seconds and a chord bearing of South 71 degrees 02 minutes 45 seconds West, 274.09 feet;

thence South 60 degrees 47 minutes 38 seconds West, 183.53 feet to the beginning of a curve, concave Northwest, having a radius of 830.00 feet;

thence Southwesterly 103.41 feet along the arc of said curve to the right through a central angle of 7 degrees 08 minutes 19 seconds to a point of reverse curvature of a curve having a radius of 25.00 feet and a chord bearing of South 64 degrees 21 minutes 47 seconds West, 103.35 feet;

thence Southwesterly 37.66 feet along the arc of said curve to the left through a central angle of 86 degrees 18 minutes 42 seconds and a chord bearing of South 24 degrees 46 minutes 36 seconds West, 34.20 feet;

thence South 18 degrees 22 minutes 45 seconds East, 30.83 feet to the beginning of a curve, concave Westerly, having a radius of 780.00 feet;

thence Southerly 488.11 feet along the arc of said curve to the right through a central angle of 35 degrees 51 minutes 17 seconds and a chord bearing of South 00 degrees 27 minutes 07 seconds East, 480.19 feet;

thence South 17 degrees 28 minutes 32 seconds West, 24.92 feet to the beginning of a curve, concave Northeast, having a radius of 25.00 feet;

thence Southeasterly 39.27 feet along the arc of said curve to the left through a central angle of 90 degrees 00 minutes 00 seconds and a chord bearing of South 27 degrees 31 minutes 28 seconds East, 35.36 feet;

thence on a non-tangent line South 17 degrees 28 minutes 32 seconds West, 50.00 feet to the beginning of a non-tangent curve, concave Southeast, from which the radius point bears South 17 degrees 28 minutes 32 seconds West a distance of 25.00 feet;

thence Southwesterly 39.27 feet along the arc of said curve to the left through a central angle of 90 degrees 00 minutes 00 seconds and a chord bearing of South 62 degrees 28 minutes 32 seconds West, 35.36 feet;

thence South 17 degrees 28 minutes 32 seconds West, 172.12 feet to the beginning of a curve, concave Southeast, having a radius of 270.00 feet;



thence Southwesterly 51.67 feet along the arc of said curve to the left through a central angle of 10 degrees 57 minutes 53 seconds and a chord bearing of South 11 degrees 59 minutes 35 seconds West, 51.59 feet;

thence South 6 degrees 30 minutes 38 seconds West, 3.77 feet to the beginning of a curve, concave Northeast, having a radius of 25.00 feet;

thence Southeasterly 36.21 feet along the arc of said curve to the left through a central angle of 82 degrees 58 minutes 47 seconds and a chord bearing of South 34 degrees 58 minutes 45 seconds East, 33.12 feet;

thence on a non-tangent line South 13 degrees 31 minutes 52 seconds West, 50.00 feet to the beginning of a non-tangent curve, concave Southwest, from which the radius point bears South 13 degrees 31 minutes 52 seconds West a distance of 375.00 feet;

thence Northwesterly 88.56 feet along the arc of said curve to the left through a central angle of 13 degrees 31 minutes 52 seconds and a chord bearing of North 83 degrees 14 minutes 04 seconds West, 88.35 feet;

thence West, 4.00 feet;

thence North, 50.00 feet to the beginning of a non-tangent curve, concave Northwest, from which the radius point bears North a distance of 25.00 feet;

thence Northeasterly 36.43 feet along the arc of said curve to the left through a central angle of 83 degrees 29 minutes 22 seconds and a chord bearing of North 48 degrees 15 minutes 19 seconds East, 33.29 feet;

thence North 6 degrees 30 minutes 38 seconds East, 3.75 feet to the beginning of a curve, concave Southeast, having a radius of 330.00 feet;

thence Northeasterly 63.15 feet along the arc of said curve to the right through a central angle of 10 degrees 57 minutes 53 seconds and a chord bearing of North 11 degrees 59 minutes 35 seconds East, 63.06 feet;

thence North 17 degrees 28 minutes 32 seconds East, 297.04 feet to the beginning of a curve, concave Northwest, having a radius of 720.00 feet;

thence Northeasterly 155.16 feet along the arc of said curve to the left through a central angle of 12 degrees 20 minutes 51 seconds to a point of compound curvature of a curve, concave Southwest, having a radius of 25.00 feet and a chord bearing of North 11 degrees 18 minutes 06 seconds East, 154.86 feet;



thence Northwesterly 41.51 feet along the arc of said curve to the left through a central angle of 95 degrees 07 minutes 41 seconds and a chord bearing of North 42 degrees 26 minutes 10 seconds West, 36.90 feet;

thence on a non-tangent line North, 25.00 feet;

thence East, 1.75 feet;

thence North, 25.00 feet to the beginning of a non-tangent curve, concave Northwest, from which the radius point bears North a distance of 25.00 feet;

thence Northeasterly 40.63 feet along the arc of said curve to the left through a central angle of 93 degrees 07 minutes 28 seconds to a point of compound curvature of a curve having a radius of 720.00 feet and a chord bearing of North 43 degrees 26 minutes 16 seconds East, 36.31 feet;

thence Northwesterly 191.70 feet along the arc of said curve to the left through a central angle of 15 degrees 15 minutes 18 seconds and a chord bearing of North 10 degrees 45 minutes 06 seconds West, 191.13 feet;

thence North 18 degrees 22 minutes 45 seconds West, 30.83 feet to the beginning of a curve, concave Southwest, having a radius of 25.00 feet;

thence Northwesterly 37.66 feet along the arc of said curve to the left through a central angle of 86 degrees 18 minutes 42 seconds to a point of reverse curvature of a curve having a radius of 830.00 feet and a chord bearing of North 61 degrees 32 minutes 06 seconds West, 34.20 feet;

thence Southwesterly 200.46 feet along the arc of said curve to the right through a central angle of 13 degrees 50 minutes 16 seconds and a chord bearing of South 82 degrees 13 minutes 40 seconds West, 199.97 feet;

thence South 89 degrees 08 minutes 48 seconds West, 76.05 feet to the beginning of a curve, concave Southeast, having a radius of 25.00 feet;

thence Southwesterly 39.27 feet along the arc of said curve to the left through a central angle of 90 degrees 00 minutes 00 seconds and a chord bearing of South 44 degrees 08 minutes 48 seconds West, 35.36 feet;

thence on a non-tangent line South 89 degrees 08 minutes 48 seconds West, 50.00 feet to the beginning of a non-tangent curve, concave Southwest, from which the radius point bears South 89 degrees 08 minutes 48 seconds West a distance of 25.00 feet;



thence Northwesterly 39.27 feet along the arc of said curve to the left through a central angle of 90 degrees 00 minutes 00 seconds and a chord bearing of North 45 degrees 51 minutes 12 seconds West, 35.36 feet;

thence South 89 degrees 08 minutes 48 seconds West, 355.85 feet to the beginning of a curve, concave Southeast, having a radius of 33.00 feet;

thence Southwesterly 51.84 feet along the arc of said curve to the left through a central angle of 90 degrees 00 minutes 00 seconds and a chord bearing of South 44 degrees 08 minutes 48 seconds West, 46.67 feet;

thence North 0 degrees 51 minutes 12 seconds West, 126.00 feet to the beginning of a curve, concave Northeast, having a radius of 33.00 feet;

thence Southeasterly 51.84 feet along the arc of said curve to the left through a central angle of 90 degrees 00 minutes 00 seconds and a chord bearing of South 45 degrees 51 minutes 12 seconds East, 46.67 feet;

thence North 89 degrees 08 minutes 48 seconds East, 355.85 feet to the beginning of a curve, concave Northwest, having a radius of 25.00 feet;

thence Northeasterly 39.27 feet along the arc of said curve to the left through a central angle of 90 degrees 00 minutes 00 seconds and a chord bearing of North 44 degrees 08 minutes 48 seconds East, 35.36 feet;

thence on a non-tangent line North 89 degrees 08 minutes 48 seconds East, 50.00 feet to the beginning of a non-tangent curve, concave Northeast, from which the radius point bears North 89 degrees 08 minutes 48 seconds East a distance of 25.00 feet;

thence Southeasterly 39.27 feet along the arc of said curve to the left through a central angle of 90 degrees 00 minutes 00 seconds and a chord bearing of South 45 degrees 51 minutes 12 seconds East, 35.36 feet;

thence North 89 degrees 08 minutes 48 seconds East, 76.05 feet to the beginning of a curve, concave Northwest, having a radius of 770.00 feet;

thence Northeasterly 381.03 feet along the arc of said curve to the left through a central angle of 28 degrees 21 minutes 10 seconds and a chord bearing of North 74 degrees 58 minutes 13 seconds East, 377.16 feet;

thence North 60 degrees 47 minutes 38 seconds East, 44.41 feet to the beginning of a curve, concave Northwest, having a radius of 25.00 feet;

thence Northeasterly 39.27 feet along the arc of said curve to the left through a central angle of 90 degrees 00 minutes 00 seconds and a chord bearing of North 15 degrees 47 minutes 38 seconds East, 35.36 feet;

S:\Projects\2018\18-110\Legal Survey\Legals\18-110 Onsite ROW\18-110 LD01 v2.docx



thence North 29 degrees 12 minutes 22 seconds West, 137.77 feet to the beginning of a curve, concave Southwest, having a radius of 470.00 feet;

thence Northwesterly 123.48 feet along the arc of said curve to the left through a central angle of 15 degrees 03 minutes 09 seconds and a chord bearing of North 36 degrees 43 minutes 57 seconds West, 123.12 feet;

thence North 44 degrees 15 minutes 32 seconds West, 176.97 feet to the beginning of a curve, concave Northeast, having a radius of 355.00 feet;

thence Northwesterly 237.20 feet along the arc of said curve to the right through a central angle of 38 degrees 17 minutes 00 seconds to a point of reverse curvature of a curve having a radius of 25.00 feet and a chord bearing of North 25 degrees 07 minutes 02 seconds West, 232.81 feet;

thence Northwesterly 36.66 feet along the arc of said curve to the left through a central angle of 84 degrees 01 minutes 28 seconds and a chord bearing of North 47 degrees 59 minutes 16 seconds West, 33.46 feet;

thence on a non-tangent line North, 25.00 feet;

thence West, 2.06 feet;

thence North, 25.00 feet to the beginning of a non-tangent curve, concave Northwest, from which the radius point bears North a distance of 25.00 feet;

thence Northeasterly 39.27 feet along the arc of said curve to the left through a central angle of 90 degrees 00 minutes 00 seconds and a chord bearing of North 45 degrees 00 minutes 00 seconds East, 35.36 feet;

thence North, 171.62 feet to the beginning of a curve, concave Westerly, having a radius of 3470.00 feet;

thence Northerly 100.25 feet along the arc of said curve to the left through a central angle of 1 degrees 39 minutes 19 seconds and a chord bearing of North 00 degrees 49 minutes 40 seconds West, 100.24 feet;

thence North 1 degrees 39 minutes 19 seconds West, 113.11 feet to the beginning of a curve, concave Southwest, having a radius of 33.00 feet;

thence Northwesterly 51.84 feet along the arc of said curve to the left through a central angle of 90 degrees 00 minutes 00 seconds and a chord bearing of North 46 degrees 39 minutes 19 seconds West, 46.67 feet;




thence North 88 degrees 20 minutes 41 seconds East, 63.00 feet to the POINT OF BEGINNING.

Contains 338,112 square feet or 7.7620 acres, more or less.



Jun 17, 2024 8:56am S:\Projects\2018\18-110\Legal Survey\Drawings\Legal Descriptions\18-110 - LD01 - ONSITE ROW v2.dwg

QUAIL RUN LN
S0°51'12"E 2581.92'



SHEET 1 OF 5

18-110


SILVER CROSS

ONSITE RIGHT-OF-WAY



2045 S. Vineyard Ave.
Ste. 101 Mesa, AZ 85210
T:480.503.2250 | F:480.503.2258
www.epsgroupinc.com

Jun 17, 2024 8:56am S:\Projects\2018-110\Legal Survey\Drawings\Legal Descriptions\18-110 - LD01 - ONSITE ROW v2.dwg



SHEET 2 OF 5

18-110

SILVER CROSS

ONSITE RIGHT-OF-WAY



2045 S. Vineyard Ave.
Ste. 101 Mesa, AZ 85210
T: 480.503.2250 | F: 480.503.2258
www.epsgroupinc.com

LINE TABLE		
LINE	BEARING	LENGTH
L1	N88°20'41"E	63.00'
L2	S01°39'19"E	113.11'
L3	S00°00'00"E	171.62'
L4	S00°00'00"E	25.00'
L5	N90°00'00"E	2.91'
L6	S00°00'00"E	25.00'
L7	S44°15'32"E	176.97'
L8	S29°12'22"E	137.77'
L9	N60°47'38"E	29.12'
L10	N85°08'46"E	50.00'
L11	S39°05'20"E	926.82'
L12	S50°54'40"W	60.00'
L13	N39°05'20"W	685.00'
L14	N39°05'20"W	50.00'
L15	N39°05'20"W	141.82'
L16	S85°08'46"W	50.00'
L17	S60°47'38"W	183.53'
L18	S18°22'45"E	30.83'
L19	S17°28'32"W	24.92'
L20	S17°28'32"W	50.00'
L21	S17°28'32"W	172.12'
L22	S13°31'52"W	50.00'
L23	N90°00'00"W	4.00'

LINE TABLE		
LINE	BEARING	LENGTH
L24	N00°00'00"W	50.00'
L25	N17°28'32"E	297.04'
L26	N00°00'00"E	25.00'
L27	N90°00'00"E	1.75'
L28	N00°00'00"E	25.00'
L29	N18°22'45"W	30.83'
L30	S89°08'48"W	76.05'
L31	S89°08'48"W	50.00'
L32	S89°08'48"W	355.85'
L33	N00°51'12"W	126.00'
L34	N89°08'48"E	355.85'
L35	N89°08'48"E	50.00'
L36	N89°08'48"E	76.05'
L37	N60°47'38"E	44.41'
L38	N29°12'22"W	137.77'
L39	N44°15'32"W	176.97'
L40	N00°00'00"E	25.00'
L41	N90°00'00"W	2.06'
L42	N00°00'00"W	25.00'
L43	N00°00'00"E	171.62'
L44	N01°39'19"W	113.11'
L45	N88°20'41"E	63.00'
L46	N01°39'19"W	75.00'



SHEET 3 OF 5

18-110

SILVER CROSS

ONSITE RIGHT-OF-WAY



2045 S. Vineyard Ave.
Ste. 101 Mesa, AZ 85210
T: 480.503.2250 | F: 480.503.2258
www.epsgroupinc.com

CURVE TABLE				
CURVE	LENGTH	RADIUS	DELTA	CHORD BRG
C1	51.84'	33.00'	90°00'00"	S43°20'41"W
C2	101.98'	3530.00'	1°39'19"	N00°49'40"W
C3	39.27'	25.00'	90°00'00"	S45°00'00"E
C4	42.95'	25.00'	98°25'30"	S40°47'15"W
C5	184.50'	295.00'	35°50'02"	S26°20'31"E
C6	139.24'	530.00'	15°03'09"	N36°43'57"W
C7	39.27'	25.00'	90°00'00"	S74°12'22"E
C8	304.21'	830.00'	20°59'59"	S71°17'37"W
C9	37.81'	25.00'	86°38'51"	N38°28'11"E
C10	37.81'	25.00'	86°38'51"	S48°10'40"E
C11	759.26'	830.00'	52°24'45"	N65°17'43"W
C12	39.27'	25.00'	90°00'00"	N84°05'20"W
C13	39.27'	25.00'	90°00'00"	N05°54'40"E
C14	697.71'	770.00'	51°55'00"	N65°02'50"W
C15	40.95'	25.00'	93°50'54"	S42°04'13"W
C16	40.95'	25.00'	93°50'54"	N51°46'41"W
C17	275.55'	770.00'	20°30'14"	S71°02'45"W
C18	103.41'	830.00'	7°08'19"	N64°21'47"E
C19	37.66'	25.00'	86°18'42"	S24°46'36"W
C20	488.11'	780.00'	35°51'17"	N00°27'07"W
C21	39.27'	25.00'	90°00'00"	S27°31'28"E
C22	39.27'	25.00'	90°00'00"	S62°28'32"W
C23	51.67'	270.00'	10°57'53"	S11°59'35"W
C24	36.21'	25.00'	82°58'47"	S34°58'45"E



SHEET 4 OF 5

18-110

SILVER CROSS

ONSITE RIGHT-OF-WAY



2045 S. Vineyard Ave.
Ste. 101 Mesa, AZ 85210
T: 480.503.2250 | F: 480.503.2258
www.epsgroupinc.com

CURVE TABLE				
CURVE	LENGTH	RADIUS	DELTA	CHORD BRG
C25	88.56'	375.00'	13°31'52"	N83°14'04"W
C26	36.43'	25.00'	83°29'22"	N48°15'19"E
C27	63.15'	330.00'	10°57'53"	S11°59'35"W
C28	155.16'	720.00'	12°20'51"	N11°18'06"E
C29	41.51'	25.00'	95°07'41"	N42°26'10"W
C30	40.63'	25.00'	93°07'28"	N43°26'16"E
C31	191.70'	720.00'	15°15'18"	N10°45'06"W
C32	37.66'	25.00'	86°18'42"	N61°32'06"W
C33	200.46'	830.00'	13°50'16"	N82°13'40"E
C34	39.27'	25.00'	90°00'00"	S44°08'48"W
C35	39.27'	25.00'	90°00'00"	N45°51'12"W
C36	51.84'	33.00'	90°00'00"	S44°08'48"W
C37	51.84'	33.00'	90°00'00"	S45°51'12"E
C38	39.27'	25.00'	90°00'00"	N44°08'48"E
C39	39.27'	25.00'	90°00'00"	S45°51'12"E
C40	381.03'	770.00'	28°21'10"	N74°58'13"E
C41	39.27'	25.00'	90°00'00"	N15°47'38"E
C42	123.48'	470.00'	15°03'09"	N36°43'57"W
C43	237.20'	355.00'	38°17'00"	S25°07'02"E
C44	36.66'	25.00'	84°01'28"	N47°59'16"W
C45	39.27'	25.00'	90°00'00"	N45°00'00"E
C46	100.25'	3470.00'	1°39'19"	N00°49'40"W
C47	51.84'	33.00'	90°00'00"	N46°39'19"W



SHEET 5 OF 5

18-110

SILVER CROSS

ONSITE RIGHT-OF-WAY



2045 S. Vineyard Ave.
Ste. 101 Mesa, AZ 85210
T: 480.503.2250 | F: 480.503.2258
www.epsgroupinc.com